

(4) 3/8" ϕ A307 Thru bolts
c/w 2.0" ϕ Washers
(See Notes 1 & 2)




March 11, 2019




1645125 ALBERTA LTD.
APEGA PERMIT NO.:
P11708
March 11, 2019



42.0in
[1067.30mm]
MAX
DECK SURFACE TO
TOP OF TOP RAIL




3.50in
[88.90mm]
MAX



NOTES:

1. Anchors required: (4)-3/8" ϕ A307 thru bolts c/w 2" ϕ washers.
2. Anchor design complies with part 4 & part 9 of NBC 2015, BCBC 2018, ABC 2014, and OBC 2012.
3. Wood blocking connections to main structure are the responsibilities of others.
4. Fascia mount fastening same for 1.75 Post system.
5. Decking shown in drawing is for illustration only and in no way implies how to construct a deck.




Engineered up to a 42in MAX distance
from surface of deck to top of top rail.

Note: Railing System shown may not exactly represent
your system but same fastening detail applies.


CenDek
Railings Ltd.

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
CENDEK RAILINGS LTD. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION
OF CENDEK RAILINGS LTD IS PROHIBITED.

DRAWN	cchislett	DESCRIPTION FASCIA FASTENING DETAILS - WOOD	
CHECKED			
MATERIAL			
DIE #			
ALL DIMENSION IN INCHES/mm		DWG NO. 0517A	REV
WEIGHT		lbs	SHEET 3 OF 4




WOOD
BLOCKING




WOOD
BLOCKING


(4) 3/8" ϕ A307 Thru bolts
c/w 2.0" ϕ Washers
(See note 1&2)




March 11, 2019



1645125 ALBERTA LTD.
APEGA PERMIT NO.:
P11708
March 11, 2019



42.0in
[1066.42mm]
MAX
DECK SURFACE TO
TOP OF TOP RAIL



WOOD
BLOCKING

FASCIA
BOARD
TYP 5/4"


See note 3 & 5

FLOOR
JOIST or WOOD
BLOCKING

2.00in MIN
[50.8mm]

2.00in MIN
[50.8mm]

FLOOR
JOIST or WOOD
BLOCKING



See note 4

NOTES:

1. Anchors required: (4)-3/8" ϕ A307 thru bolts c/w 2" ϕ washers
2. Anchor design complies with part 4 & part 9 of NBC 2015, BCBC 2018, ABC 2014, and OBC 2012.
3. Wood blocking connections to main structure are the responsibilities of others.
4. Surface fastening details same for 1.75 Post system.
5. Decking shown in drawing is for illustration only and in no way implies how to construct a deck.

Engineered up to a 42in MAX distance
from surface of deck to top of top rail.

Note: Railing System shown may not exactly represent
your system but same fastening detail applies.

CenDek
Railings Ltd.

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
CENDEK RAILINGS LTD. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION
OF CENDEK RAILINGS LTD IS PROHIBITED.

DRAWN	cchislett	DESCRIPTION SURFACE FASTENING DETAILS-WOOD	
CHECKED			
MATERIAL			
DIE #			
ALL DIMENSION IN INCHES/mm		DWG NO. 0517A	REV
		WEIGHT lbs	SHEET 4 OF 4